



## CONTENTS

TCO Applications .....	2
TCO Application Refused .....	5
TCOs Made.....	6
Local Manufacturer Initiated - TCO Revocation Requests .....	10
TCOs Revoked - Unused for over 2 years .....	11
Intention to Revoke – TCOs with 2 years non-use .....	12
Intention to Revoke due to Local Manufacturing .....	14
TCOs Revoked and Re-Issued - Classification Change.....	15

The Department of Immigration and Border Protection (DIBP) publishes the Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) free of charge on the DIBP internet site at:  
<http://www.border.gov.au>

Please note that the Industry Assistance Section has changed address.  
We are now located at 5 Chan St Belconnen ACT 2617.

Contact numbers are listed below:

General Email Inquiries.....tarcon@border.gov.au  
General Inquiries: .....(02) 6198 7289  
Facsimile: .....(02) 6198 7203  
TAPIN help desk.....(02) 6275 6534

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS**

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at  
<http://www.border.gov.au/Tariffclassificationofgoods/Documents/typableb4442001.pdf>

For guidance on the required description style, phone 02 6198 7289, fax 02 6198 7203 or email  
[tarcon@border.gov.au](mailto:tarcon@border.gov.au).

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3824.90.90 FOOD ADDITIVES, having ALL of the following: (a) pentapotassium triphosphate; (b) pentasodium triphosphate; (c) tetrapotassium diphosphate; (d) tetrasodium diphosphate Op. 10.08.15	50  - TC 1531413
Stated Use: Food ingredient for leavening, moisture loss inhibitors and buffering agents for food formulations.	
Applicant: OPPENHEIMER PTY LIMITED	5%
7306.40.00 TUBES, stainless steel, spiral welded, having ALL of the following: (a) outside diameter NOT less than 105 mm and NOT greater than 220 mm; (b) wall thickness NOT less than 1.50 mm and NOT greater than 7.00 mm; (c) SAE International grade 409 OR grade 410L Op. 28.07.15	50  - TC 1529367
Stated Use: To be included in the assembly of idler rollers for a belt idler, a component of bulk material handling conveyor systems for the mining industry	
Applicant: CONVEYOR INNOVATIONS INTERNATIONAL PTY LTD	5%
7309.00.00 TANKS, sulphuric acid circulation, weight NOT less than 5 tonnes Op. 05.08.15	50  - TC 1530639
Stated Use: Used to circulate strong acid through absorption and drying towers in the sulphuric acid production process	
Applicant: NYRSTAR PORT PIRIE PTY LTD	5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
7616.99.00	COVER PLATES, switch AND/OR power point Op. 10.08.15  Stated Use: Protection of electrical accessories  Applicant: SCHNEIDER ELECTRIC (AUSTRALIA) PTY LIMITED	- TC 1531412     5%
8205.59.00	SCRAPERS, including high carbon steel blades Op. 03.08.15  Stated Use: Used for scraping of the oxide layer on polyethylene pipes as preparation for electrofusion of pipe fittings  Applicant: PLASSON AUSTRALIA PTY. LIMITED	- TC 1529901     5%
8307.10.00	JUMPERS, GAS LIFT, with OR without connectors Op. 05.08.15  Stated Use: A leak proof conduit for transporting gas between the tree and manifold  Applicant: QUADRANT ENERGY AUSTRALIA LIMITED	- TC 1530637     5%
8412.90.90	HYDRAULIC CYLINDER BODIES, forged steel, having ALL of the following: (a) flange AND dome; (b) bronze bushings; (c) hydraulic pressure capacity NOT greater than 21 000 kPa Op. 06.08.15  Stated Use: Part of a hydraulic motor for multi-opening six daylight fibreboard (door skin) press  Applicant: HUME MASTERPANEL PTY LTD	- TC 1530902       5%
8421.39.00	TOWERS, sulphuric acid production plant, being drying towers net weight NOT less than 41 tonnes OR absorption towers net weight NOT less than 33 tonnes, with OR without ANY of the following: (a) mist eliminators; (b) acid proof ceramic bricks; (c) distribution troughs; (d) platforms, handrails AND supports Op. 04.08.15  Stated Use: Used to remove unwanted substances from gases during the production of sulphuric acid  Applicant: NYRSTAR PORT PIRIE PTY LTD	- TC 1530457       5%
8436.29.00	NESTING SYSTEMS, EGG PRODUCTION, including BOTH of the following: (a) nesting boxes; (b) conveyor belts Op. 07.08.15  Stated Use: Equipment to facilitate the laying of eggs in poultry farm  Applicant: WOODLANDS ENTERPRISES PTY. LTD.	- TC 1530981     5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number	General Duty Rate
8479.89.90	WASHING AND DISINFECTING MACHINES, LABORATORY OR MEDICAL Op. 03.08.15  Stated Use: Washing and disinfecting reusable medical or laboratory equipment and utensils  Applicant: DEVICE TECHNOLOGIES AUSTRALIA PTY. LTD.	- TC 1530117	50     5%
8479.89.90	CONFECTIONERY DISPENSERS, table top, plastic, having ANY of the following: (a) confectionery; (b) hand operation; (c) coin operation; (d) motion activated Op. 03.08.15  Stated Use: Used to store and dispense confectionery  Applicant: PARK AVENUE FOODS PTY LTD	- TC 1530118	50       5%
8535.29.00	CIRCUIT BREAKERS, metal housing, voltage rating greater than 72.5 kV, having ANY of the following: (a) overcurrent AND earth fault relay; (b) 3 phase busbars; (c) cable earth switch Op. 31.07.15  Stated Use: Protection of transformers, circuits and other electrical apparatus in high voltage compact environment  Applicant: SCHNEIDER ELECTRIC (AUSTRALIA) PTY LIMITED	- TC 1529896	50       5%
8537.20.90	RING MAIN UNITS, metal enclosure compliant with IP54, voltage rating greater than 72.5 kV, including a circuit breaker and ANY two of the following: (a) overcurrent AND earth fault relay; (b) 3 phase busbars; (c) ring cable earth switch Op. 31.07.15  Stated Use: Protection of transformers, circuits and other electrical apparatus in high voltage compact environment  Applicant: SCHNEIDER ELECTRIC (AUSTRALIA) PTY LIMITED	- TC 1529897	50         5%

**CUSTOMS ACT 1901****NOTICE PURSUANT TO SECTION 269R(1) - APPLICATION FOR TARIFF CONCESSION ORDER REFUSED**

The application for the Tariff Concession Order for the goods described in the following TABLE has been refused.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
7309.00.00 STORAGE CONTAINERS, stainless steel, having ALL of the following: (a) maximum volume capacity NOT greater than 1 200 L; (b) maximum operating pressure NOT greater than 2 bars; (c) manhole lid; (d) valves Op. 23.04.15 Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by Newell Composites Pty Ltd, Murray Bridge, SA	50
	- TC 1515633

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE**

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect General Duty Rate
3917.32.90 TUBING, shrink, lay flat, having ALL of the following: (a) width NOT less than 300 mm; (b) shrinkage rate NOT less than 60% at 85 degrees Celsius; (c) oxygen transmission rating NOT greater than 5 000 cc/sqm/24 hr at 23 degrees Celsius Op. 09.06.15 Dec. date 31.08.15	50      - TC 1521051
3920.10.00 LOW DENSITY POLYETHYLENE (LDPE) FILM, in rolls, having ALL of the following: (a) thickness NOT less than 6.5 microns and NOT greater than 10.5 microns; (b) film width NOT greater than 440 mm; (c) length NOT less than 400 m and NOT greater than 3 500 m; (d) film weight NOT less than 1.9 kg and NOT greater than 13.8 kg; (e) laps on each edge; (f) pre-stretched Op. 22.04.15 Dec. date 31.08.15	50       - TC 1515444
3923.21.00 BAGS, having a circular collar of hard plastic with a snap-lock closure Op. 14.05.15 Dec. date 26.08.15	50  - TC 1518446
3924.10.00 MEASURING JUGS, plastic, including BOTH of the following: (a) lid; (b) handle Op. 09.06.15 Dec. date 31.08.15	50  - TC 1521052
4008.21.90 ROLLS, RUBBER SHEET, incorporating indented patterns on one side Op. 18.05.15 Dec. date 26.08.15	50 - TC 1518858
4418.90.00 PANELS, CROSS LAMINATED TIMBER (CLT), having ALL of the following: (a) manufactured in accordance with European Standard EN 13986; (b) thickness NOT less than 42 mm and NOT greater than 350 mm; (c) width NOT greater than 3.00 m; (d) length NOT greater than 16.5 m; (e) NOT less than 3 and NOT greater than 20 layers; (f) each layer having individual boards: (i) jointed in the longitudinal direction by finger; jointing complying with European Standard EN 14080; (ii) glued edge; (iii) within one member the following strength classes shall apply: (i) 100% C16; OR (ii) NOT less than 90% C24 and NOT more than 10% C16; (iii) NOT less than 90% C30 and NOT less 10% C24; (iv) strength classes as specified in EN 338 structural timber strength classes; (g) adhesives complying with European Standard EN 301 and EN 15425; (h) wood species to be European spruce or other softwood; (i) wood moisture content NOT less than 6% and NOT greater	50

(Continued on next page)

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect General Duty Rate
(Continued from previous page)	
<p>than 15%, the moisture content of each layer must NOT differ by more than 5%</p> <p>Op. 02.04.15</p>	<p>Dec. date 27.08.15</p> <p>- TC 1513697</p>
<p>4805.24.10 PAPERBOARD, WHITE TOP LINER, uncoated, multiply, in rolls, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) bleached pulp top ply;</li> <li>(b) grammage NOT greater than 150 g/m<sup>2</sup>;</li> <li>(c) dirt count NOT greater than 50 ppm;</li> <li>(d) brightness NOT less than 70% measured in accordance with International Organization for Standardization ISO 2470-2:2008;</li> <li>(e) Bendtsen roughness NOT less than 1 000 mL/min measured in accordance with Australian/New Zealand Standard AS/NZS 1301.439s:2007</li> </ul> <p>Op. 09.06.15</p>	<p>Dec. date 31.08.15</p> <p>- TC 1521048</p>
<p>4811.51.00 PAPERBOARD, bleached, coated on one side with polyethylene terephthalate (PET)</p> <p>Op. 04.06.15</p>	<p>Dec. date 31.08.15</p> <p>- TC 1520570</p>
<p>7309.00.00 SILOS, bolted modules, steel, whether OR not assembled, with OR without stairs, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) piping AND/OR hoses with OR without connectors;</li> <li>(b) flow control valves;</li> <li>(c) level measurement microwave sensor including display;</li> <li>(d) capacity NOT less than 155 cubic metres and NOT greater than 4 500 cubic metres</li> </ul> <p>Op. 21.04.15</p>	<p>Dec. date 31.08.15</p> <p>- TC 1515310</p>
<p>7323.99.00 BAKING TRAYS, carbon steel with non-stick coating</p> <p>Op. 09.06.15</p>	<p>Dec. date 31.08.15</p> <p>- TC 1521054</p>
<p>8413.70.10 PUMP SYSTEM, SUBMERSIBLE, DOWNHOLE, electric, whether OR not assembled, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) connectors;</li> <li>(b) sensor;</li> <li>(c) motor;</li> <li>(d) motor base;</li> <li>(e) couplings;</li> <li>(f) intake pressure protectors;</li> <li>(g) pumps;</li> <li>(h) discharge head;</li> <li>(i) ported intake chamber</li> </ul> <p>Op. 09.06.15</p>	<p>Dec. date 31.08.15</p> <p>- TC 1521055</p>
<p>8415.83.00 COOLING UNITS, CHILLED WATER, having BOTH of the following:</p> <ul style="list-style-type: none"> <li>(a) cooling capacity output NOT less than 20 kW and NOT greater than 150 kW;</li> <li>(b) input voltage NOT less than 100 volts and NOT greater than 460 volts</li> </ul> <p>Op. 09.06.15</p>	<p>Dec. date 31.08.15</p> <p>- TC 1521056</p>
<p>8415.83.00 COOLING UNITS, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) forward-curved OR backward-curved fan with directly coupled asynchronous motor;</li> <li>(b) power supply NOT less than 230 volts and NOT greater than 400 volts;</li> <li>(c) gross total cooling capacity NOT less than 6.4 kW and NOT greater than 107.6 kW;</li> <li>(d) airflow NOT less than 1 600 m<sup>3</sup> per hour and NOT greater than 21 810 m<sup>3</sup> per hour</li> </ul> <p>Op. 09.06.15</p>	<p>Dec. date 31.08.15</p> <p>- TC 1521057</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect General Duty Rate
8421.39.00 ELEMENTS, COALESCING FILTER, oil mist, having BOTH of the following: (a) separation efficiency 95% for particles greater than 0.2 microns; (b) exhaust air oil content NOT greater than 5 mg/m <sup>3</sup> Op. 05.06.15 Dec. date 31.08.15	50  - TC 1520673
8479.89.90 WASTE SEPARATORS, transportable, having ALL of the following: (a) radial fan with a power output NOT less than 30 kW; (b) separator capacity NOT greater than 180 m <sup>3</sup> /h; (c) feeding conveyor belt speed of 1.5 m/s Op. 05.06.15 Dec. date 31.08.15	50  - TC 1521044
8479.89.90 RUNNING TOOLS, MARINE RISER, OFFSHORE OIL AND GAS RIG, hydraulic Op. 09.06.15 Dec. date 31.08.15	50  - TC 1521049
8479.89.90 TUBING HANGERS, OIL AND/OR GAS WELL, complying with American Petroleum Institute Specification 6A (API 6A), having an outer diameter NOT less than 11 cm and NOT greater than 51 cm Op. 09.06.15 Dec. date 31.08.15	50  - TC 1521063
8481.80.90 RELAY VALVE ASSEMBLIES, GAS OPERATED WATER HEATER, having ALL of the following: (a) body; (b) seals; (c) cover; (d) support ring; (e) diaphragm; (f) valves; (g) valve spring; (h) screws; (i) washer; (j) seat; (k) plug; (l) compression connector Op. 09.06.15 Dec. date 31.08.15	50  - TC 1521050
8481.80.90 TUBING HEAD, OIL AND/OR GAS WELL, with OR without screw lock down mechanism, complying with American Petroleum Institute Specification 6A (API 6A), having BOTH of the following: (a) threaded AND/OR flanged end connections; (b) flanged OR threaded outlets Op. 09.06.15 Dec. date 31.08.15	50  - TC 1521062
8481.80.90 CASING HEAD, OIL AND/OR GAS WELL, complying with American Petroleum Institute Specification 6A (API 6A), with OR without ANY of the following: (a) threaded AND/OR flanged end connections; (b) flanged OR threaded outlets; (c) lock down mechanism; (d) studs; (e) nuts; (f) outlet valves Op. 09.06.15 Dec. date 31.08.15	50  - TC 1521064
8481.80.90 VALVES, HYDRAULIC AND/OR PNEUMATIC ACTUATED, OIL AND/OR GAS WELL, complying with American Petroleum Institute Specification 6A (API 6A); including ALL of the following: (a) working pressure NOT less than 2 000 psi and NOT greater than 20 000 psi; (b) bore NOT less than 4 cm and NOT greater than 20 cm; (c) fail-safe valve closure; (d) actuator operating line pressures NOT less than 30 psi and NOT greater than 6 000 psi; (e) threaded OR flanged end connections; (f) weight NOT less than 20 kg and NOT greater than 4 000 kg Op. 09.06.15 Dec. date 31.08.15	50  - TC 1521065





**NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT**

Applications have been lodged for revocation of the Tariff Concession Orders set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in-transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
8421.21.90 FILTERS, multi-screen polymeric, self-cleaning, including ALL of the following: (a) hydraulic turbine operated screens; (b) flow rate NOT less than 30 m <sup>3</sup> /h and NOT greater than 120 m <sup>3</sup> /h; (c) maximum operating pressure NOT greater than 10 bar; (d) inlet and outlet diameters NOT greater than 100 mm Op. 06.03.14 Dec. date 03.06.14 - TC 1408470	50 25.08.15
8421.21.90 FILTERS, stainless steel four-layer weave wire screen, self-cleaning, including ALL of the following: (a) flow rate NOT less than 1 200 m <sup>3</sup> /h and NOT greater than 7 200 m <sup>3</sup> /h; (b) maximum operating pressure NOT greater than 10 bar; (c) three phase electrical supply Op. 07.03.14 Dec. date 02.06.14 - TC 1408689	50 25.08.15

**CUSTOMS ACT 1901****NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION****AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS**

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC 15/29 ON 29 July 2015.

Contact: Phone 02 6275 6534, fax 02 6198 7203 or email [tarcon@border.gov.au](mailto:tarcon@border.gov.au).

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
7217.90.00 WIRE, fastener, soft drawn, to specification AISI grade K 4037 Op. 01.07.96 Dec. date 21.06.96	50 25.08.15 - TC 9607835
Revoked: 2 years non-use. In transit provisions apply.	
7219.21.00 FLAT ROLLED PRODUCTS, stainless steel, Grade UNS S30815, having a chemical composition by weight of ALL of the following: (a) carbon 0.1% maximum; (b) silicon 1.40% to 2.00% (both inclusive); (c) manganese 0.8% maximum; (d) phosphorous 0.040% maximum; (e) sulphur 0.030% maximum; (f) chromium 20% to 22% (both inclusive); (g) nickel 10% to 12% (both inclusive); (h) cerium 0.03% to 0.08% (both inclusive); (i) nitrogen 0.14% to 0.20% (both inclusive) Op. 21.01.94 Dec. date 29.04.94	50 25.08.15 - TC 9401453
Revoked: 2 years non-use. In-transit provisions apply.	
7220.90.00 STRIP, stainless steel, type 434, coated on one or both sides with primer and chemically reactive adhesive system Op. 21.03.94 Dec. date 02.08.94	50 25.08.15 - TC 9403739
Revoked: 2 years non-use. In transit provisions apply.	
7223.00.00 WIRE, STAINLESS STEEL, having BOTH of the following: (a) tensile strength NOT less 700 MPa and NOT greater than 1 000 MPa; (b) diameter NOT greater than 1 mm Op. 11.11.05 Dec. date 30.01.06	50 25.08.15 - TC 0515954
Revoked: 2 years non-use. In transit provisions apply.	

**TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS**

The Comptroller-General of Customs is satisfied that the TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 01 October 2015, it is intended to take action to revoke these Orders under subsection 269SD (1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 30 September 2015.

Interested parties are invited to provide, by close of business, Wednesday, 30 September 2015, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

Contact: Email [tarcon@border.gov.au](mailto:tarcon@border.gov.au), fax 02 6198 7203 or phone 02 6275 6534.

## THE TABLE

Tariff Classification	Description	Concession Number
7307.93.00	INDUCTION BENDS, LINE PIPE, with or without concrete coating, with or without internal corrosion resistant cladding, having BOTH of the following: (a) carbon steel having an outside diameter NOT less than 355.6 mm (14 inch nominal size); (b) compliance with Det Norske Veritas Offshore Standard F101 (DNV-OS-F101)	
	Op. 29.04.09	Dec. date 17.07.09 - TC 0914155
7308.90.00	PARTS, AQUACULTURE FACILITY, steel, being ALL of the following: (a) intermediate sections; (b) outrigger sections; (c) catamaran sections; (d) handrails; (e) light poles; (f) mooring lugs; (g) bollards; (h) net poles; (i) life ring holders; (j) pontoon holders; (k) main-bridge; (l) ladders	
	Op. 02.04.08	Dec. date 04.07.08 - TC 0805146
7308.90.00	STRUCTURES, WELLHEAD, OFFSHORE OIL AND GAS, comprising ALL of the following: (a) well head platform jacket structural steel sections; (b) piles having lengths NOT less than 28 m; (c) pile inserts having lengths NOT less than 18 m	
	Op. 11.06.08	Dec. date 08.09.08 - TC 0812032

---

7308.90.00	PARTS, STRUCTURE, OFFSHORE OIL AND/OR GAS RIG, whether OR not assembled, being ANY of the following: (a) baffle OR box OR diaphragm plates; (b) bases OR foundations OR platforms OR platform inserts; (c) braces; (d) bulkheads; (e) frames; (f) primary OR secondary bumpers; (g) stairs OR ladders; (h) supports; (i) walls OR panels			
	Op. 09.12.11	Dec. date 07.03.12		- TC 1141301
7308.90.00	PARTS, LAMINATED SAFETY GLASS PRODUCTION LINE STRUCTURES, being ANY of the following: (a) girders; (b) trusses; (c) grating; (d) handrails (with or without kick plates); (e) gates; (f) treads; (g) crane rails; (h) frames; (i) crane portal beams			
	Op. 27.07.12	Dec. date 22.10.12		- TC 1227168
7308.90.00	SPACE FRAMES, SPHERICAL DISH, SOLAR CONCENTRATOR, having BOTH of the following: (a) maximum wind loading NOT greater than 147.6 kilometres per hour; (b) maximum force on base NOT greater than 170 000 kN			
	Op. 21.12.12	Dec. date 18.03.13		- TC 1248776
7309.00.00	BINS, FURNACE CHARGING SYSTEM, SUBMERGED ARC FURNACE, being EITHER of the following: (a) correction feed; (b) cold feed			
	Op. 04.01.11	Dec. date 23.05.11		- TC 1100247
7310.29.00	TINS, DISPLAY, having BOTH of the following: (a) tin sheet thickness NOT less than 0.2 mm and NOT greater than 0.4 mm; (b) transparent display windows			
	Op. 29.12.06	Dec. date 23.03.07		- TC 0620288

**CUSTOMS ACT 1901****INTENTION TO REVOKE TARIFF CONCESSION ORDERS**

It is intended to revoke the Tariff Concession Orders for the goods described in the following TABLE.

The Comptroller-General of Customs' delegate has declared the intention, subject to s.269SD(1AB), to make orders revoking the TCOs in the table below with effect from 27 August 2015.

On 27 August 2015, the Comptroller-General of Customs' delegate formed the belief in respect of the TCOs, that if the TCOs were not in force on that day, and applications for the TCOs were made on that day, the Comptroller-General of Customs would not have made the TCOs.

That is because the Comptroller-General of Customs believes, following recent decisions published in the Gazette, that there are Australian makers of goods which are substitutable for the TCO goods.

Interested parties are invited to provide, by close of business 30 September 2015, written reasons why the TCOs should not be revoked.

Contact: email tarcon@border.gov.au, fax 02 6198 7203 or telephone 02 6198 7289

## THE TABLE

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number
9503.00.30	TOYS, stuffed, representing animals or non human creatures, but NOT including teddy bears Op. 01.01.07	50
	Dec. date 27.11.06	- TC 0614628
9503.00.30	TOYS, stuffed, representing animals OR non-human creatures, length greater than 40 cm Op. 01.01.07	50
	Dec. date 27.11.06	- TC 0614630
9503.00.30	TOYS, representing animals or non-human creatures but NOT including plastic ducks OR turtles OR whales OR fish OR non toxic foam toys OR balloons Op. 01.01.07	50
	Dec. date 27.11.06	- TC 0614635

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(2)****TARIFF CONCESSION ORDER REVOKED AND ANOTHER TARIFF CONCESSION ORDER MADE IN ACCORDANCE WITH 269SD(2) OF THE CUSTOMS ACT.**

Tariff Concession Orders for the goods described in the following TABLE have been revoked and another Tariff Concession Orders made in respect of the goods described below due to a tariff classification change.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
TCO REVOKED	
4803.00.90 TABLE NAPKIN STOCK, wood cellulose, single ply OR multi-ply, in rolls, having a width NOT less than 310 mm and NOT greater than 360 mm Op. 02.06.15 Dec. date 17.08.15 TCO revoked due to change in tariff classification. See TC1532775 classified to 4818.90.00	50 01.06.15
- TC 1520129	
TCO REISSUED	
4818.90.00 TABLE NAPKIN STOCK, wood cellulose, single ply OR multi-ply, in rolls, having a width NOT less than 310 mm and NOT greater than 360 mm Op. 02.06.15 Dec. date 27.08.15	50
- TC 1532775	