

# Australian Government

W. Carrier	Australian Customs and	CARCO	$\vdash X \lor V \lor$
25.7	<b>Border Protection Service</b>	CANGO	EXAMINATION

(Please Note: For	m B140 should be use	ed for Motor Vehicle	Examination)		Page	of pages
	ndermentioned goods is			16. 0. 1	2000000	Query Memo No.
Invoice Examining Of	IN OF CONTER	VIS, MARK,		47F(1		11/11
Importer		-1	Sunnlier	A 141	70/41/-1	
	s. 47G(1)(a	*		S. 4	7G(1)(a)	
* Ship/Aircraft/Permis	EK		* Voyage/Folio No. 4/3		Report No.	Arrival Date 14   4   16
Shipping/Airline Co.	NIATES	Station S y Z	ONEY	Place of Ex	DGM -	PONT BOTANY
TATUS OF CARGO	(Place X in appropria	ite box)				
Duty Paid	Concessional Rate	Transhipment	Warehous	e 🗌 Sig	ght Not Ente	ered Movement Permission
Container/No. and Bill Lading No.	Warrant No. and Date	Marks and Num	nbers/Airway Bill Nu	mber		f Goods as Entered e Tariff Item)
ETAILS OF EXAM		e full marks and nu	5 1 4 6 6 F Land 1 5 6	1.01/1/16 1.7	JONS, ONE	SOMAL Nº -
						i S/Nº 15-05016 EVENIFIED. 4.
		and the second s				ACTION SHOTCH
	TOOMS DRAWN					
	ACAINST COM				-	- UI IV LL 13/11/3
	PENCY AS A	요즘 경우 아이는 그렇게 되었습니다. 그는 계약 회장	LL GOODS	ROPA	enen æ h	Legennoonsig
GM VAULT	. 7. Doci 7	To DGM				ANOTE SECO
ALJAHTSV	W. Company					S S S S S S S S S S S S S S S S S S S
6/ MSN						
OH	3				********************	D D
GENEVE SEE	Ph Risewhere	REPORT Ab	oove	iched	FORM A CON	MPLET ROOM RESERVED
ESENT PURING	Name/Signature)		7,000			2 2
22(1)(a)(ii)	00/11	(a)(ii)	* Owner/Age	ent	4	
ASM OH	J. ZZI I II	alli	NOT PA	CSENT	ALTAR10	2 6
will and the property	s. 22(1)	21/0	NOT PA	csenī	र्डा 22(1)(a	ed by
ASADNEY  ASA	1009 57		NOT PA	ese N T	s. 22(1)(a	Beased by



		S	. 470	)(1)(	a)			ence No	·.[		
For Comm	ercial (	Consignm	ents Only	y: Consig	gnment Ç	Qty S	50	Qty fo	r Tes	sting	5
		FSTO	Identific	ation 8	Safety	Testing	Result	<u>s</u>			
The firearm	submit	ted for Ide	entification	n and Sa	fety Test	ing is of t	he follov	wing de	escrip	otion:	
Make 6	7016	R		Mode	el /	9-110			Ori	gin 7	URKEY
Type / Acti		нот	GUN			Act	TION		132		
rial No	Calibr	e Bar	rel (mm)	Mag	Serial I	No	Calib	re E	Barre	el (mm)	Mag
15-05526	129		_	4				- 14		/	
15-05527	120			4					/		
15-05528	120			4		- 100		44			
15-05529	129			4		/	-				
15-05530	120	<u> </u>		4	_						
(Prohibited I certify tha with the fol	Imports	earm/s aboresults:	ons 1956. ove were t	. This re	elates to i	t being a (		(	3	Fiream	n. egs;
(Prohibited I certify tha	Imports	) Regulati earm/s abo	ons 1956.	. This re	elates to i	t being a (	Category	(	3	Fiream	n.
(Prohibited I certify tha with the following	Imports t the fire lowing t	) Regulati earm/s abc esults:	ons 1956.	This re	elates to i	t being a (nee with Pass)	Category art 3 of 5  Issue  Trigg	Schedu	3	Firean of PI R	n. egs;
(Prohibited I certify tha with the following the same  Prop Test ched 6, Pt 3, 1.6)	Imports t the fire lowing r	Regulation Result	ons 1956.	This rested in	elates to i	t being a (	Category art 3 of 5	Schedu Ser Ser	3 le 6 d	Firean of PI R	n. egs; Resul
(Prohibited I certify tha with the follows  State  Prop Test Ched 6, Pt 3, 1.6)	Imports t the fire lowing t	Regulation Results:  Result  Pass  Fail	Issue Safety fitted (Sched 6, Po	tested in device	elates to i accordant	Result Pass Fail	Issue Trigg Press (Sched 6, Trigg	Schedu ger ure	3 le 6 d	Firean of PI R	n. egs; Resul
(Prohibited I certify tha with the following Test wheel 6, Pt 3, 1.6)  triking Test	Imports t the fire lowing t	Regulation Results:  Result  Pass	Issue Safety fitted (Sched 6, Po	device	elates to i accordant	Result Pass Fail N/A	Issue Trigg Press Test (Sched 6, Trigg Press	Schedu ger ure Pt 3, 1.7) ger	3 ale 6 d	Firean of PI R	n. egs; Resul
(Prohibited I certify tha with the following Test ched 6, Pt 3, 1.6)  triking Test nc hammer)	Imports t the fire lowing t	Regulation Results:  Result  Pass  Fail	Issue Safety fitted (Sched 6, Po	device	elates to i	Result Pass Fail N/A Pass Fail	Issue Trigg Press Test (Sched 6, Trigg Press	Schedu ger ure	3 ale 6 d	Firean of PI R	n. egs; Resul
(Prohibited I certify tha with the following Test when	Imports t the fire lowing t	Regulative arm/s above esults:  Result  Pass  Fail  Pass  Fail	Issue Safety fitted (Sched 6, Po	device	elates to i	Result Pass Fail N/A Pass	Issue Trigg Press Test (Sched 6, Trigg Press (record	Schedu ger ure Pt 3, 1.7) ger	3 ale 6 d	Firean of PI R	n. egs; Resul
(Prohibited I certify tha with the following Test ched 6, Pt 3, 1.6)  triking Test ched 6. Pt 3, 1.6)  ched 6. Pt 3, 1.6)	Imports t the fire lowing t	Regulation Results:  Result  Pass  Fail  Pass  Fail  Pass	Issue Safety fitted (Sched 6, P) Safety workin	device	elates to i accordant	Result Pass Fail N/A Pass Fail N/A Pass	Issue Trigg Press Test (Sched 6, Trigg Press (record ONLY) Trigg	Schedu ger ure Pt 3, 1.7) ger ure if FAIL	3 ale 6 d	Fiream of PI R	n. egs; Resul
(Prohibited I certify tha with the following Test whed 6, Pt 3, 1.6)  triking Test nc hammer) whed 6. Pt 3, 1.6)	Imports t the fire lowing t	Regulative arm/s above esults:  Result  Pass  Fail  Pass  Fail	Issue Safety fitted (Sched 6, P) Safety working	device	elates to i accordant	Result Pass Fail N/A Pass Fail N/A	Issue Trigg Press Test (Sched 6, Trigg Press (record ONLY) Trigg fitted	Schedu ger ure Pt 3, 1.7) ger ure if FAIL	3 ale 6 d	Firean of PI R	n. egs; Resul
(Prohibited I certify tha with the following Test ched 6, Pt 3, 1.6)  triking Test ched 6. Pt 3, 1.6)  lipping fammers Test	Imports t the fire lowing t	Regulation Results:  Result  Pass  Fail  Pass  Fail  Pass	Issue Safety fitted (Sched 6, P) Safety workin	device	elates to i accordant	Result Pass Fail N/A Pass Fail N/A Pass	Issue Trigg Press Test (Sched 6, Trigg Press (record ONLY) Trigg fitted	Schedu ger eure Pt 3, 1.7) ger eure if FAIL	3 ale 6 d	Fiream of PI R	Result Pass Fail
(Prohibited I certify tha with the follows  Test ched 6, Pt 3, 1.6)	Imports t the fire lowing r	Regulative arm/s above esults:  Result  Pass  Fail  Pass  Fail  Pass  Fail  N/A  odel firear	Issue Safety fitted (Sched 6, P) Safety workin	device device device device device	elates to in accordance of the secondariance of the	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Pass	Issue Trigg Press Test (Sched 6, Trigg Press (record ONLY) Trigg fitted (Sched 6,	Schedu ger er eure er gua Pt 3, 1.8)	3 ale 6 d	Fiream of PIR	Result Pass Fail
(Prohibited I certify tha with the following  rop Test hed 6, Pt 3, 1.6)  criking Test nc hammer) hed 6, Pt 3, 1.6)  ipping ammers Test hed 6, Pt 3, 1.6A)  In summary Firearms Sa	Imports t the fire lowing to  Qty  5	Pass Fail N/A	Issue Safety fitted (Sched 6, P) Safety workin Safety indica	device device device device device	elates to in accordance of the secondariance of the	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Pass	Issue Trigg Press Test (Sched 6, Trigg Press (record ONLY) Trigg fitted (Sched 6,	Schedu ger er eure er gua Pt 3, 1.8)	3 ale 6 d	Fiream of PIR	Result Fail
(Prohibited I certify tha with the following  rop Test hed 6, Pt 3, 1.6)  triking Test nc hammer) hed 6, Pt 3, 1.6)  lipping ammers Test hed 6, Pt 3, 1.6A)	Imports t the fire lowing to  Qty  5	Pass Fail N/A	Issue Safety fitted (Sched 6, P) Safety workin Safety indica	device device device device device	elates to in accordance of the secondariance of the	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Pass	Issue Trigg Press Test (Sched 6, Trigg Press (record ONLY) Trigg fitted (Sched 6,	Schedu ger er eure er gua Pt 3, 1.8)	3 ale 6 d	Fiream of PIR	Result Pass Fail



### **Commercial Firearms Record**

DealerStock	No		
Tistenes)/nitel	s. 47F(1)	Daciogedei	14/04/2016
Suneme	s. 47F(1)	. Moceodantsy	AIR FREIGHT
Degler	s. 47G(1)(a)	Portionanthy	18
©оле:∉∛Xio		Rom voltanbarcation	TR
Additess	s. 47G(1)(a)	Mode of Detection	DECLARATION
Silonio	s. 47G(1)(a)	Note of Poneering in	
Sale	s. ATG(1)(a		
Poscode	E.47G(1)(		
Date Doether	14/04/2016	Date Seized	
Designation Trype	B390	Sizactiye	
Descritor (b)	028640	Seizure!No	
Acadebaceion	Prohibitions & Restrictions NS		
Decikned)	Yes	FIG No	tba
Ghim!Made	No	Claim Date	
Senters (\$150 Name(s))Initia		Sandarsilesidamo	
Senter's Gomeany	s. 47G(1)(a)	Sender's Address	5. 47G(1)(a)
NSkarame Number		BAGS/EX/AMS/Number	
Wind Greensteaware Destrictives	Sporting Goods		
Comments	[5-22[*NaNii] 21/04/2016 14:06:27]	MAWB# 17612554721, B709A - N	160090 Issued for this importation.

#### the deals

<b>Linc</b>	1	©umani44ocention	Detained Goods Mgt SYDNEY NSW
@iy	5	Gurrent Status	In Store
Make	ADLER	Storage	
Model	A-110	Ny e	SHOT LA <5
Description		Orline	
Legislation Type PI	Sch/ 6 Hem ± 2	Magazin <b>e (</b> Sajate <b>ity</b>	4
Seal(No		Barrel Length	
Safety Trest Status	Passed Safety Test	Serial No.s	15-05530, 15-05528, 15-05529, 15-05527, 15-05526

<u> Che</u>	2	Ourent Location	Detained Goods Mgt NSW	SYDNEY
©Ġv	45	Gunani@segus	In Store	0
Make	ADLER	Some	Long Arms	0 1
Model	A-110	NOTE:	SHOT LA <5	C I
Description	Lever Action Shotgun	Oallac :	12G	- A
Legislation Type PI	Sch/ 6 Item 2	Magazine Gapagity -	4	nde
Seal No		Barrel Length		二十

Released by DIBP ur Freedom of Informati

#### **FIREARMS NSW**

From:

FITT Referrals

Sent:

Friday, 15 April 2016 9:20 AM

To: Cc: FIREARMS NSW FITT Referrals

Subject:

RE: Exam #2117724 MAWB# 17612554721 [SEC=PROTECTED]

Hi Vic,

We were just advising as an FYI. Please continue with your normal procedures for this import. Thanks

s. 22(1)(a)(ii)

Analyst - Firearms & Weapons Intelligence Section

Intelligence Production (Goods) Branch

Intelligence Division

Intelligence and Capability | Department of Immigration and Border Protection

P: s. 22(1)(a)(ii)

E: s. 22(1)(a)(ii)@border.gov.au

From: FIREARMS NSW

Sent: Friday, 15 April 2016 9:10 AM

To: FITT Referrals Cc: FIREARMS NSW

Subject: RE: Exam #2117724 MAWB# 17612554721 [SEC=PROTECTED]

Good morning 22(1)(a)(III)

All firearm's for the importation by s. 47G(1)(a) s which consisted of Fifty (50) Adler Lever Action firearms where picked up yesterday and are currently with Firearms NSW. A quick test was conducted on the magazine capacity of these firearms, they have a magazine capacity of four (4) plus one in the chamber.

We are still waiting for doc's from Redline for this importation. So what would you like us to do with this importation?

gards

#### s. 22(1)(a)(ii)

s. 22(1)(a)(ii) | Senior Border Force Officer A/g | NSW Firearms Cell

Australian Border Force | s. 22(1)(a)(ii)

From: FITT Referrals

Sent: Thursday, 14 April 2016 2:09 PM

To: FIREARMS NSW
Cc: FITT Referrals

Subject: FW: Exam #2117724 MAWB# 17612554721 [SEC=PROTECTED]

Hi all,

We have had another examination conducted for

s. 47G(1)(a)

Please see ICS reference below

We have been advised that the import contained 50 x Adler A-110 shotguns.

s. 22(1)(a)(ii) has advised me that this is unusual as 47G(1)(a) has the rights to import this firearm.

#### Regards

s. 22(1)(a)(ii)

s. 22(1)(a)(ii)

Border Force Officer| Aviation Goods NSW NSW Regional Command | Strategic Border Command Operations Group

Australian Border Force

P: s. 22(1)(a)(ii) | M: s. 22(1)(a)(ii)

E: s. 22(1)(a)(ii) @border.gov.au

### **Firearm Safety Testing Results Form For Commercial Consignments**

Impor	ter		S.	47G(1	1)(a)		DGMS No	0	V01699	900
Consignme Quant		100		Sample	QTY	3	Entry N	I° A	ACPGFY	'36J
	-	0	STO Ide	entifica	tion & S	Safety Testin	g Results			
The firear	m subr	nitted for ide	ntification	and safe	ty testing	is of the follow	ing description:			
Make	Adle				Mode	A110		Origin	Turkey	y
Action	Leve	r Action Sho	otgun							
Serial N	0	Cal	ibre	Barrel	Mag	Serial No	Calib	re	Barrel	Mag
15-0	05012	12G	auge		4					
15-0	05049	12G	auge		4					
15-0	05096	12G	auge		4					
							Part 2 of Schedu	ILO 6 OF	the	-
certify th	(Prohib	firearm descrited Imports,  firearm/s about Result  Pass	Regulation	ested in a  Issue Safety	accordance e		This relates it to  Schedule 6 with  Issue  Trigger	o being	a Catego	у
certify th	(Prohib	irearm/s abo	Regulation	ested in a  Issue Safety	accordance	te with Part 3 of Result	This relates it to  F Schedule 6 with  Issue  Trigger  Pressur	o being	a Catego ollowing re Result	esults:
certify th  Issue Drop Test  Striking T	at the f	irearm/s abo	Regulation	ested in a  Issue Safety	e fitted	te with Part 3 of Result	This relates it to  F Schedule 6 with  Issue  Trigger  Pressur	h the for	a Catego	esults:
Customs	at the f	irearm/s abo Result Pass	Regulation	ested in a  Issue Safety device Safety device worki	e fitted  y e fitted  y e ng	te with Part 3 of Result Pass	This relates it to  F Schedule 6 wit  Issue  Trigger  Pressur  Fail  Trigger	h the force	Newton Pass	esults:
certify th  Issue Drop Test  Striking T (inc hamn  Slipping hammer/s	at the f	ited Imports, irearm/s abo Result Pass  Pass	ve were to	Safety device worki	e fitted  y e fitted  y e ng y e ation	te with Part 3 of Result Pass	This relates it to  Schedule 6 with  Issue  Trigger Pressur  Fail  Trigger Pressur  Trigger Pressur  Trigger guard fi	h the force	a Catego  collowing re  Result  Newtor  Pass	esults:

#### **DGM Firearms QLD**

From:

**DGM Firearms QLD** 

Sent:

Thursday, 30 April 2015 2:13 PM

To:

s. 47F(1)

Subject:

RE: ADLER 001 [SEC=UNCLASSIFIED]

Good afternoon s. 47F(1)

I retested the firearms this morning and they passed. I have lifted the ICS holds from this consignment and an ATD has produced. The goods can now be released.

Kind Regards

s. 22(1)(a)(ii)

Senior Customs Officer- Commercial Firearms Detained Goods and Firearms Brisbane Customs and Trade Division Australian Customs and Border Protection Service

20-22 The Circuit, Brisbane Airport

Email:

@customs.gov.au

Ph s. 22(1)(a)(II)

Fax s. 22(1)(a)(ii)

Report suspicious border related activities to Customs Watch | 1800 06 1800 | www.customs.gov.au/customswatch

----Original Message----

From: s. 47F(1)

[mailto: S. 47G(1)(a), s. 47F(1)]

Sent: Monday, 27 April 2015 1:33 PM

To: DGM Firearms QLD

Subject: RE: ADLER 001 [SEC=UNCLASSIFIED]

Hi s. 22(1)(a)(ii)

Thankyou, will advise s. 47G(1)(a)

Kindest Regards

s. 47F(1)

s. 47G(1)(a)

tel s. 47F(1) fax s. 47F(1)

#### s. 47G(1)(a)

This e-mail and any attachments are for the sole use of the intended recipient(s), & may contain priviledged od confidential information.

Any unauthorised review, use, disclosure or distribution is strictly prohibited.

If you are not the intended recipient(s), please contact the sender by reply e-mail & destroy all copies of the message.

Thank you

P Please consider the environment before printing this e-mail

----Original Message----

From: DGM Firearms QLD [mailto:

@customs.gov.au]

Sent: Monday, 27 April 2015 1:32 PM

To: s. 47F(1)

Subject: RE: ADLER 001 [SEC=UNCLASSIFIED]

Released by DIBP under theু Freedom of Information Act 7

982

Good afternoon 47F(1)

We inspected these firearms this morning but both failed safety testing due to a lack of Safety Device Indication. Authority is given for safety the modifications to the firearms to meet requirements.

Kind Regards s. 22(1)(a)(ii)

Senior Customs Officer- Commercial Firearms Detained Goods and Firearms Brisbane Customs and Trade Division Australian Customs and Border Protection Service

20-22 The Circuit, Brisbane Airport

Email: @customs.gov.au

Ph s. 22(1)(a)(ii)

Fax

Report suspicious border related activities to Customs Watch | 1800 06 1800 | www.customs.gov.au/customswatch

----Original Message----

From: S. 47F(1) [mailto: S. 47G(1)(a), S. 47F(1)

Sent: Friday, 24 April 2015 9:01 AM

To: DGM Firearms QLD

Subject: RE: ADLER 001 [SEC=UNCLASSIFIED]

Hi s. 22(1)(a)(ii)

Nothing to pay

Kindest Regards

s. 47F(1)

s. 47G(1)(a)

tel s. 47F(1) fax s. 47F(1)

s. 47G(1)(a)

This e-mail and any attachments are for the sole use of the intended recipient(s), & may contain priviledged and confidential information.

Any unauthorised review, use, disclosure or distribution is strictly prohibited.

If you are not the intended recipient(s), please contact the sender by reply e-mail & destroy all copies of the original message.

Thank you

P Please consider the environment before printing this e-mail

----Original Message----

From: DGM Firearms QLD [mailto: @customs.gov.au]

Sent: Friday, 24 April 2015 8:58 AM

To: s. 47F(1)

Subject: RE: ADLER 001 [SEC=UNCLASSIFIED]

Good morning 47F(1)

The entry hasn't been paid for this one.

Kind Regards s. 22(1)(a)(ii)

Senior Customs Officer- Commercial Firearms Detained Goods and Firearms Brisbane Customs and Trade Division Australian Customs and Border Protection Service

20-22 The Circuit. Brisbane Airport

Email: @customs.gov.au

Ph s. 22(1)(a)(II)

Fax

Report suspicious border related activities to Customs Watch | 1800 06 1800 | www.customs.gov.au/customswatch

Original Message----

s. 47F(1) From: [mailto: s. 47G(1)(a), s. 47F(1)

Sent: Friday, 24 April 2015 7:15 AM

To: DGM Firearms QLD

Subject: RE: ADLER 001 [SEC=UNCLASSIFIED]

Hi 5. 22(1)(a)(ii

This cargo has arrived Brisbane and I have just completed the 71E can you pls approve

Thankyou

Kindest Regards

s. 47F(1)

s. 47G(1)(a)

tel S. 47F(1) fax S. 47F(1)

### s. 47G(1)(a)

This e-mail and any attachments are for the sole use of the intended recipient(s), & may contain priviledged and confidential information.

Any unauthorised review, use, disclosure or distribution is strictly prohibited.

'f you are not the intended recipient(s), please contact the sender by reply e-mail & destroy all copies of the original nessage.

Thank you

P Please consider the environment before printing this e-mail

----Original Message----

Freedom of Information Act 1982

200	20 III
Emai	18.1
Liliai	1.1

@customs.gov.au

Ph s. 22(1)(a)(ii)

Fax

Report suspicious border related activities to Customs Watch | 1800 06 1800 | www.customs.gov.au/customswatch

----Original Message----

[mailto: s. 47G(1)(a), s. 47F(1) s. 47F(1) From:

Sent: Wednesday, 22 April 2015 12:29 PM

To: DGM Firearms QLD Subject: RE: ADLER 001

ні s. 22(1)(a)(ii)

Our broker has completed entry # ACK76PTAL

Our courier will deliver the original permit and supporting documents to you in the morning

Kindest Regards

s. 47F(1)

s. 47G(1)(a)

tel s. 47F(1) fax s. 47F(1)

#### s. 47G(1)(a)

This e-mail and any attachments are for the sole use of the intended recipient(s), & may contain priviledged and confidential information.

Any unauthorised review, use, disclosure or distribution is strictly prohibited.

If you are not the intended recipient(s), please contact the sender by reply e-mail & destroy all copies of the original message.

Thank you

P Please consider the environment before printing this e-mail

----Original Message----

s. 47F(1) From:

Sent: Wednesday, 22 April 2015 8:58 AM

To: 'DGM Firearms QLD' Subject: ADLER 001

ні s. 22(1)(a)(ii)

Please be advised of the following airfreight shipment for

Supplier: Adler

MAWB 232-1333 8883

Flight:

Copy of Import Permit attached

Once broker has completed entry will advise

Kindest Regards s. 47F(1) s. 47G(1)(a) tel S. 47F(1) fax s. 47F(1)

#### s. 47G(1)(a)

This e-mail and any attachments are for the sole use of the intended recipient(s), & may contain priviledged and confidential information.

Any unauthorised review, use, disclosure or distribution is strictly prohibited.

If you are not the intended recipient(s), please contact the sender by reply e-mail & destroy all copies of the original message.

Thank you

P Please consider the environment before printing this e-mail

Original M	essage s. 47G(1)(a)	[mailto:	o 47C(1)(a)	_	
	day, 22 April 2015 8	[mailto:	s. 47G(1)(a)		
To: S. 47F	(1)	5.34 AIVI			
Subject:	1.7				
Judjeet.					
ECOSYS M6526	6cdn				
[00:c0:ee:3d:4	7:dd]				
*****	******	*****	******	******	****
***					
	Act 1985 (CA Act)			der section 16 of the Custom onfidential, and/or subject to	
the content of	f this email is intend	ded only for use b	y the individual or entity	to whom it is addressed.	
must not use o		he information w	ithin this email except for	ed under section 16 of the CA the purpose for which it was	
If you are NOT If you receive t (24hrs) and de	the intended recip this email in error, please of the	ient, you must no please notify the ( is email and any a	ot use, copy, disseminate, Customs Incident Respon attachments.	forward, retain or reproduce se Centre immediately on 18 mail.	00 303 32
Unsolicited co	mmercial emails M	UST NOT be sent	to the originator of this e	mail.	DIBP unde
*****	******	*****	*******	********	3 1
***					DIBI
*****	******	*****	********	*******	****
***					_
					eleased
			5		e e
					民正

This email message and any attached files may be protected information under section 16 of the Customs Administration Act 1985 (CA Act) and may also contain information that is confidential, and/or subject to legal professional privilege.

The content of this email is intended only for use by the individual or entity to whom it is addressed.

If you ARE the intended recipient, and are subject to an undertaking provided under section 16 of the CA Act, you must not use or further disclose the information within this email except for the purpose for which it was provided to you or otherwise as required or authorised by law.

If you are NOT the intended recipient, you must not use, copy, disseminate, forward, retain or reproduce this email. If you receive this email in error, please notify the Customs Incident Response Centre immediately on 1800 303 387 (24hrs) and delete all copies of this email and any attachments.

Insolicited commercial emails MUST NOT be sent to the originator of this email.
**************************************
**************************************
This email message and any attached files may be protected information under section 16 of the Customs Administration Act 1985 (CA Act) and may also contain information that is confidential, and/or subject to legal professional privilege.
The content of this email is intended only for use by the individual or entity to whom it is addressed.
f you ARE the intended recipient, and are subject to an undertaking provided under section 16 of the CA Act, you nust not use or further disclose the information within this email except for the purpose for which it was provided o you or otherwise as required or authorised by law.
f you are NOT the intended recipient, you must not use, copy, disseminate, forward, retain or reproduce this email f you receive this email in error, please notify the Customs Incident Response Centre immediately on 1800 303 387 24hrs) and delete all copies of this email and any attachments.
Insolicited commercial emails MUST NOT be sent to the originator of this email.
**************************************

#### QLD FIREARMS CELL - EXAMINATION RECORD

IMPORTER: s. 47G(1)(a)

SUPPLIER: Adler 001

CONSIGNMENT DETAILS: AWB 232 13338883

CONT: HASU4360254 & HASU1240635

FID: ACK76PTAL

<u>DEPOT</u>: s. 47G(1)(a)

**BOOKED DATE & TIME OF EXAM:** 

ARMED SECURITY PRESENT: N

ICS GOODS DESCRIPTION: Firearms

SN# 1501001 + 150100Z

No. OF PACKAGES: 1@9KG

**EXAMS REGISTER NUMBER: QRFC15090** 

CREATED BY: S. 22(1)(a)(ii) Phone: s. 22(1)(a)(ii)

LIST OF ITEMS DECLARED: 12 x Lever Action Shotguns

#### TASK/s:

IN ACCORDANCE WITH SECTIONS 186 & 218 OF THE CUSTOMS ACT 1901 THE FOLLOWING IS REQUIRED:

- (1) SECURITY MEASURES AND A PLACE OF EXAMINATION AT 4 475(1)(a) PREMISES.
- (2) SAMPLES TO BE DRAWN FOR IDENTIFICATION AND SAFETY TESTING.
- (3) ALL DISCREPANCIES TO BE REPORTED TO FIREARMS CELL SUPERVISOR.
- (3) ALL DISCREPANCIES TO BE REPORTED TO FIREARMS CELL SUPERVISOR.

  (4) DOCUMENTS TO BE RETURNED TO COMMERCIAL FIREARMS L2, ONLY IF DISCREPANCIES.
- (5) ANY UNDECLARED HANDGUNS TO BE SECURED AND TRANSPORTED TO CUSTOMS STORE
- (6) GOODS TO BE HELD PENDING SAFETY TEST RESULTS AND ANY OTHER CUSTOMS REQUIREMENTS.
- (7) EXAMINATION OFFICER TO VERIFY MARKS AND NUMBERS, NUMBER OF PACKAGES & CONDITION OF CARGO.
- (8) EXAMINATION OFFICER TO CONDUCT 100% PHYSICAL VERIFICATION AGAINST IMPORT DOCUMENTS DOCUMENTS.
- (9) EXAM RECORD TO BE COMPLETED.

1982 0 m Of eleased reedom

s. 22(1)(a)(ii) OFFICERS ATTENDING EXAM: ONSITE PREMISES RISK ASSESSMENT COMPLETED: Y (N) FINISHED: 1000 EXAM COMMENCED: 19900 JOB / EXAM RESULTS: (Include activity, discrepancies etc) SIGNS OF PILLAGE: Y/N ANY APPARENT DAMAGE: JOB / EXAM RESULTS: (Include activity, discrepancies etc.) ACCGOOSS CHEKOT tO PERMY - OK

B390 RAISED: Y/N

NUMBER:

NO OF FIREARMS SAFETY TESTED:

DGMS NO: Q0092946

OFFICER: s. 22(1)(a)(ii)

s. 22(1)(a)(ii)

SIGNATURE

DATE: 27/4/5

Released by DIBP under the reedom

Importer: 5 4	7G(1)(a)		vate / Commercia				No.	
Importer: s. 4	7 G(1)(a)					Licence	No.	
For Commercial	Consign	nments C	Only: Consignme	nt Quanti	ity 2	Sampl	e Qty for Te	sting: Z
The firearm subm			ntification & S ication and Safet				description:	
Make ADGR	SICAH	591	Model Model	Lever	×C710		Origin [	TR
Make Abor of Type / Action	CHON	ACTI	Model SHOTE	20-				
Serial No	Calibre	T/P	Serial No	Calibre	T/P	Serial No	Calib	re T/P
1501001	124	37.2						
1501002 - 1	29	35. 5						
		-						
with the following	g result	s:	were tested in ac					
with the following			Issue Safety Device		with Pass	Issue Trigger	dule 6 of PI	Regs;  Result Pass
with the following	g result	s: Result	Issue		Result	Issue		Result
with the following  Issue  Drop Test	g result	Result Pass Fail N/A	Issue Safety Device Fitted		Result Pass Fail N/A	Issue Trigger Pressure	Qty	Result Pass
with the following  Issue  Drop Test  Striking Test	g result	Result Pass Fail N/A Pass	Issue Safety Device Fitted Safety Device		Result Pass Fail N/A Pass	Issue Trigger Pressure Trigger	Qty 1) Fail	Result (Pass) Fail
Issue Drop Test Striking Test	g result	Result Pass Fail N/A	Issue Safety Device Fitted		Result Pass Fail N/A	Issue Trigger Pressure	Qty	Result (Pass) Fail
Issue Drop Test Striking Test (inc hammer)	g result	Result Pass Fail N/A Pass Fail N/A Pass Pass	Issue Safety Device Fitted Safety Device Working Safety Device	Qty	Result Pass Fail N/A Pass Fail N/A Pass	Issue Trigger Pressure Trigger Pressure Trigger	Qty 1) Fail	Result (Pass) Fail N/A Newtons
Issue Drop Test Striking Test (inc hammer) Slipping Hammer/s	g result	Result Pass Fail N/A Pass Fail N/A	Issue Safety Device Fitted Safety Device Working		Result Pass Fail N/A Pass Fail N/A	Issue Trigger Pressure Trigger Pressure	Qty )   Fail Only	Result (Pass) Fail N/A Newton: Pass
Issue Drop Test Striking Test (inc hammer) Slipping Hammer/s In summary, this Firearms Safety S	g result:	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Pass Isil N/A Fail N/A Fail N/A	Issue Safety Device Fitted Safety Device Working Safety Device Indication	Qty	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Pass Fail	Issue Trigger Pressure Trigger Pressure Trigger Guard Fitted	Qty )   Fail Only	Result (Pass) Fail N/A Newtons Pass Fail N/A  Apport of
Issue Drop Test Striking Test (inc hammer) Slipping Hammer/s In summary, this Firearms Safety S Comments:	g result:  Qty  // (  model to Standard	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Pass Fail N/A Corrections Cor	Issue Safety Device Fitted Safety Device Working Safety Device Indication  PASSED / FAIL	Qty   CED   EX	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Pass Fail	Issue Trigger Pressure Trigger Pressure Trigger Guard Fitted (See comm	Pail Only  (/	Result (Pass) Fail N/A  Newtons Pass Fail N/A  Onported
Issue Drop Test  Striking Test (inc hammer)  Slipping Hammer/s  In summary, this Firearms Safety S  Comments:  Handgun Chara  Barrel Length:	g result:  Qty    / (	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Sirearm:	Safety Device Fitted Safety Device Working Safety Device Indication  PASSED FAIL  A - AGT RE	Oty  II  (LED / EX	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A  Pass	Issue Trigger Pressure Trigger Pressure Trigger Guard Fitted (See comm	Pail Only  (/	Result (Pass) Fail N/A  Newtons Pass Fail N/A  Onported One
Issue Drop Test  Striking Test (inc hammer)  Slipping Hammer/s  In summary, this Firearms Safety S  Comments:  Handgun Chara  Barrel Length:	g result:  Qty  //  model is Standard	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Pass Fail N/A Corrections Cor	Safety Device Fitted Safety Device Working Safety Device Indication  PASSED / FAIL  A - AGT BE Calibre: / S. 22(	Oty  II  (LED / EX	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A  Pass	Issue Trigger Pressure Trigger Pressure Trigger Guard Fitted (See comm	Pail Only  (/	Result (Pass) Fail N/A  Newtons Pass Fail N/A  Onported One
Issue Drop Test Striking Test (inc hammer) Slipping Hammer/s In summary, this Firearms Safety S Comments: Handgun Chara Barrel Length:	g result:  Qty  //  model is Standard	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Corrections  Corrections  Result Pass Fail N/A Pass Fail N/A Corrections	Safety Device Fitted Safety Device Working Safety Device Indication  PASSED / FAIL  A - AGT BE Calibre: / S. 22(	Oty  II  (LED / EX	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A  Pass	Issue Trigger Pressure Trigger Pressure Trigger Guard Fitted (See comm	Pail Only  (/	Result (Pass) Fail N/A  Newtons Pass Fail N/A  Onported One

Importer:			s. 47G(1)(a	a)		Licence N	0,	
For Commercial	Consign	ments C	Only: Consignme		tity 60	Sample	Qty for Tes	stino
or commercial	Consign	micins c	only, consignine	nt Quan	as   OC	Olembre	Qty 101 10,	, ans. / O
The firearm subr	The state of the s		ntification & S ication and Safet				escription:	
Make ADCE	2		Model	AII	0		Origin [	TR
Type / Action	LEVEL.	ACTIO	w SHOTGU	J				
Serial No	Calibre	T/P	Serial No	Calibr	e T/P	Serial No	Calib	re T/P
	125	33.5	1502000		23.6			
B- 10 B - 1	124	26.7	150 2458		25.4			
	129	2S.0	1502077	11 = =	28.0			
1502076	12891	321.8	1502078		29.7			
1502450	129	22.5	1502079	1	24.2			
with the following	ng results	S:	were tested in ac					
with the following	g results	s: Result	Issue	Qty	Result	Issue	Qty	Result
with the followin	ng results	Result Pass	Issue Safety Device		Result Pass	Issue Trigger		Result Pass
with the followin	g results	Result Pass Fail	Issue	Qty	Result Pass Fail	Issue	Qty	Result Pass Fail
with the following  Issue  Drop Test	g results	Result Pass	Issue Safety Device Fitted	Qty	Result Pass	Issue Trigger Pressure	Qty	Result Pass
with the following  Issue  Drop Test  Striking Test	Qty	Result Pass Fail N/A Pass Fail	Issue Safety Device	Qty 10	Result Pass Fail N/A Pass Fail	Issue Trigger	Qty 10	Result Pass Fail N/A
with the following  Issue  Drop Test  Striking Test (inc hammer)	Qty	Result Pass Fail N/A Pass Fail N/A	Issue Safety Device Fitted Safety Device Working	Qty	Result Pass Fail N/A Pass Fail N/A	Issue Trigger Pressure Trigger Pressure	Qty 10 Fail Only	Result Pass Fail N/A Newtons
with the following  Issue  Drop Test  Striking Test (inc hammer)  Slipping	Qty	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Pass	Issue Safety Device Fitted Safety Device Working Safety Device	Qty 10	Result Pass Fail N/A Pass Fail N/A Pass	Issue Trigger Pressure Trigger Pressure Trigger	Qty 10	Result Pass Fail N/A Newtons Pass
with the following  Issue  Drop Test  Striking Test	Qty	Result Pass Fail N/A Pass	Issue Safety Device Fitted Safety Device	Qty 10	Result Pass Fail N/A Pass	Issue Trigger Pressure Trigger	Qty 10	Result Pass Fair
Issue  Issue Drop Test  Striking Test (inc hammer)  Slipping Hammer/s  In summary, this Firearms Safety	Qty O	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Pass Fail N/A	Issue Safety Device Fitted Safety Device Working Safety Device Indication	Qty	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Pass Fail N/A	Issue Trigger Pressure Trigger Pressure Trigger Guard Fitted	Qty 10 Fail Only	Result Pass Fail N/A Newton Pass Fail N/A
with the following  Issue  Drop Test  Striking Test (inc hammer)  Slipping Hammer/s  In summary, this Firearms Safety  Comments:	Qty 10 10 s model f Standard	Result Pass Fail N/A Sirearm(	Issue Safety Device Fitted Safety Device Working Safety Device Indication	Qty	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Pass Fail N/A	Issue Trigger Pressure Trigger Pressure Trigger Guard Fitted	Qty 10 Fail Only	Result Pass Fail N/A Newtons Pass Fail N/A
Issue  Issue Drop Test  Striking Test (inc hammer)  Slipping Hammer/s  In summary, this Firearms Safety	Qty 10 10 s model f Standard	Result Pass Fail N/A Sirearm(	Safety Device Fitted  Safety Device Working  Safety Device Indication  PASSED FAIL	Qty 10 10 LED/E	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A XEMPT	Issue Trigger Pressure Trigger Pressure Trigger Guard Fitted (See comme	Fail Only  10  mts) the Im	Result Pass Fail N/A  Newtons Pass Fail N/A  A  A  A  A  A  A  A  A  A  A  A  A
Issue  Drop Test  Striking Test (inc hammer)  Slipping Hammer/s  In summary, this Firearms Safety  Comments:  Handgun Chara  Barrel Length:	Qty 10 10 s model f Standard	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Pass Fail N/A Circarm Circarm Circarm	Safety Device Fitted  Safety Device Working  Safety Device Indication  PASSED FAIL	Qty 10 10 LED/E	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A XEMPT	Issue Trigger Pressure Trigger Pressure Trigger Guard Fitted (See comme	Fail Only  10  mts) the Im	Result Pass Fail N/A  Newtons Pass Fail N/A  A  A  A  A  A  A  A  A  A  A  A  A

Importer:		is Pri	vate Commercia			Ref No. See		500
For Commercial C			1 - 7 - V A	nt Quan	tity		Qty for Te	sting: 4
The firearm subm			ntification & S ication and Safet				lescription:	
Make ADCER Mo				A110			Origin [	TURKEY
Type / Action (	EVER	2 ACT	rand Skot	-9-0.	) (			
Serial No (	Calibre	T/P	Serial No	Calibr	e T/P	Serial No	Calib	re T/P
1608802	129	26-7						
1609149	129	36.6			-			
1609599	129	27.7			1			
	129	266			1			
	g results					art 3 of Sched		
Issue		Result Pass	Issue Safety Device	Qty	Result Pass	<i>Issue</i> Trigger	Qty	Result Pass
Issue	Qty	Result Pass Fail	Issue	Qty	Result Pass Fail	Issue	<b>Q</b> ty	Result Pass Fail
Issue Drop Test	Qty	Result Pass	Issue Safety Device	Qty	Result Pass	<i>Issue</i> Trigger	<b>Q</b> ty	Result Pass
Issue Drop Test Striking Test	Qty	Result Pass Fail N/A Pass Fail	Issue Safety Device Fitted	Qty (11)	Result Pass Fail N/A Pass Fail	Issue Trigger Pressure	Qty \\\\	Result Pass Fail N/A
Issue Drop Test Striking Test (inc hammer)	Qty	Result Pass Fail N/A Pass Fail N/A	Issue Safety Device Fitted Safety Device Working	Qty HII]	Result Pass Fail N/A Pass Fail N/A	Issue Trigger Pressure Trigger Pressure	Oty \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Result Pass Fail N/A Newtons
Issue Drop Test Striking Test (inc hammer)	Qty	Result Pass Fail N/A Pass Fail N/A Pass	Issue Safety Device Fitted Safety Device Working Safety Device	Qty (11)	Result Pass Fail N/A Pass Fail N/A Pass	Issue Trigger Pressure Trigger Pressure Trigger	Qty \\][	Result Pass Fail N/A Newtons Pass
Issue Drop Test Striking Test (inc hammer)	Qty	Result Pass Fail N/A Pass Fail N/A	Issue Safety Device Fitted Safety Device Working	Qty HII]	Result Pass Fail N/A Pass Fail N/A	Issue Trigger Pressure Trigger Pressure	Oty \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Result Pass Fail N/A Newtons
Issue Drop Test  Striking Test (inc hammer)  Slipping Hammer/s  In summary, this is Firearms Safety S  Comments:	Qty 1111	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Pass Fail N/A	Issue Safety Device Fitted Safety Device Working Safety Device Indication		Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Pass Fail N/A	Issue Trigger Pressure Trigger Pressure Trigger Guard Fitted	Qty \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Result Pass Fail N/A Newtons Pass Fail
Striking Test (inc hammer) Slipping Hammer/s In summary, this in	Qty 1111	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Sirearm:	Issue Safety Device Fitted Safety Device Working Safety Device Indication		Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Pass Fail N/A	Issue Trigger Pressure Trigger Pressure Trigger Guard Fitted	Qty \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Result Pass Fail N/A  Newtons Pass Fail N/A  Pass Fail N/A  D  D  D  D  D  D  D  D  D  D  D  D  D
Issue Drop Test Striking Test (inc hammer) Slipping Hammer/s In summary, this in Firearms Safety S Comments:	Qty 1111	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Sirearm:	Issue Safety Device Fitted Safety Device Working Safety Device Indication PASSED FAIL		Result Pass Fail N/A Pass Fail N/A Pass Fail N/A Pass Fail N/A	Issue Trigger Pressure Trigger Pressure Trigger Guard Fitted	Qty \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Result Pass Fail N/A  Newtons Pass Fail N/A  A  A  A  A  A  A  A  A  A  A  A  A
Issue Drop Test Striking Test (inc hammer) Slipping Hammer/s In summary, this is Firearms Safety S Comments: Handgun Charac	model fitandard	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A  irearm:	Issue Safety Device Fitted Safety Device Working Safety Device Indication PASSED FAIL	Qty	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A XEMP	Issue Trigger Pressure Trigger Pressure Trigger Guard Fitted (See comme	Oty \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Result Pass Fail N/A  Newtons Pass Fail Control N/A  Newtons Pass Fail Control N/A  Newtons
Striking Test (inc hammer) Slipping Hammer/s In summary, this in Firearms Safety S Comments:	model fitandard	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A  irearm:	Issue Safety Device Fitted Safety Device Working Safety Device Indication PASSED FAIL	Qty	Result Pass Fail N/A Pass Fail N/A Pass Fail N/A XEMP	Issue Trigger Pressure Trigger Pressure Trigger Guard Fitted (See comme	Oty \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Result Pass Fail N/A Newtons Pass Fail N/A Not to t