LOSHINY OF TEXNOR APEX COMPAN

REXAM

xam Closures 45 Kansas Road ansville, IN 47711 CLOSURES EVANEVILLE IN 4771

IIII.

s. 47F(1)

ease find enclosed the Teknor Color sample which has been matched per your request. A price lotation will follow under separate cover.

olor Match Request Number:

CM74-97-0039-000

)escription:

41,130HCPP Blu B86 50:1

Item number:

867-876

Formulated For: Polypropylene

Ratio:

50:1

Matched To:

Competitive B86 Blue Chip

Light Source:

CWF

Color Tolerance. CMC(2:1) < 1.0 AE: 10° observer, small area view, specular included

Standard Identification:

41,130HCPP Match #74-97-0039 Chip (Stored)

Standard Date:

02-14-97

Additives (Included by Request of Customer):

N/A

Regulatory Status Requested By Customer²:

No Heavy Metals

Customer Specification:

Match must be <1 AE CMC(2:1) to supplied target.

Melt Index:

ON REQUEST

If you have any questions, or require further information, please contact your sales representative or the Teknor Color Sales office at 800-554-9885 or 401-725-8000. You may also call the Henderson Teknor Color Plant directly at 800-238-2470 or 502-827-5571.

We at Teknor Color, are committed to providing our customers with timely information and the highest quality of products. We value your response - it will help us serve you better.

100 observer, CIELab color space, 80 diffuse sphere, specular component included: unless otherwise specified.

REXAM CLOSURES

ISSUED BY:

TIPET RHODE ISLAND 02861-1900 0 TEL. (401) 725-8000 0 FAX 725-8095

1982 by Department of Home Affairs Information Act Freedom the Released er

²This information sheet does not certify the regulatory status of this product.

16 Tarmac Drive, Tullamarine, Vic. 3043.

Postal Address: PO Box 1121, Tullamarine, Vic. 3043

Phone: (03) 9339 0444 Fax: (03) 9330 3630

13th September 2000

ACI Closures 4 Kings Way MOORABBIN VIC 3189

Attention: Managing Director

Re: Flip Top Caps 38mm

Attention: Managing Director

Dear Sir,

My client, Kraft Foods Limited, are requesting a Tariff Concession on the above caps advising that this particular cap is not manufactured in Australia.

I have attached for your information a specification sheet covering Kraft's requirements and ask if your company are capable of manufacturing a similar type cap or if you have no objections to a Tariff Concession.

I would also advise that the type of cap in the specifications are subject to a patent by the American manufacturer.

Yours faithfully,

Panaloina World Transport
s. 47F(1)

Released by Department of Home Affairs under the Freedom of Information Act 1982

Document 2



PANALPINA WORLD TRANSPORT PTY LTD A.C.N. 000 525 995 MELBOURNE

16 Tarmac Drive, Tullamarine, Vic. 3043.

Postal Address: PO Box 1121, Tullamarine, Vic. 3043

Phone: (03) 9339 0444 Fax: (03) 9330 3630

13th September 2000

Amcor Plastics 25 Paramount Road WEST FOOTSCRAY VIC 3012

Attention: Managing Director

Re: Flip Top Caps 38mm

Attention: Managing Director

Dear Sir,

My client, Kraft Foods Limited, are requesting a Tariff Concession on the above caps advising that this particular cap is not manufactured in Australia.

I have attached for your information a specification sheet covering Kraft's requirements and ask if your company are capable of manufacturing a similar type cap or if you have no objections to a Tariff Concession.

I would also advise that the type of cap in the specifications are subject to a patent by the American manufacturer.

Yours faithfully, Panalpina World Transport s. 47F(1) Released by Department of Home Affairs under the Freedom of Information Act 1982

Document 3





A.C.N. 004 125 071

PACKAGING MATERIAL SPECIFICATION	Resource No: 026914 Version: 1	
CLOSURES	Supersedes: Version:	
PRISM Name: CAP FLIP TOP 38MM	Sizes: 375, 500ML	
Commodity: CAP: 375 & 500ML SQUEEZE MAYONNAISE	Date: 15/06/2000	Page 1 of 4
		OSN 205844 Ver 1

APPROVED VENDOR: REXAM CLOSURE

SCOPE:

This specification describes the specific requirements for the supply to and the purchase by Kraft of the above material. It must be read in conjunction with the Kraft General Material Specification, which forms an integral part of this specification.

2. MINIMUM PERFORMANCE:

This cap is applied by a capper on the Liquid Dressing line. All caps to be fully closed.

3. MATERIAL STRUCTURE:

PLASTIC CLOSURES:

Polymer:

Slip Additive:

Colour: Embossed/Debossed:

Wadding:

Polypropylene HGL-120-01

41,130HCPP BLU B86 50:1

Non embossed

Induction Heat Sealing Membrane

Distortion/Ovality:

Maximum level of distortion is:

1mm (Test Method KPTM 1/96-1)

METAL CLOSURES:

Plate Thickness:

Temper:

Tin Coating:

- Internal:

- External

g/m² (nominal)

mm (nominal)

N/A

g/m2 (nominal)

Internal Lacquers:

(1) NOT APPLICABLE

(2) NOT APPLICABLE

External Lacquers:

(1) NOT APPLICABLE

(2) NOT APPLICABLE

Varnish

NOT APPLICABLE

Weight: ± gsm

(Lacquer & Varnish Weight Test Method KPTM 2/96-1

Compound:

N/A

Note: Any change in the source or type of a packaging component, must be approved in writing by Kraft Packaging R&D, prior to supply.

PHYSICAL SPECIFICATIONS:

4.1. Cap Size, Style & Finish

38-400 LCC-2 FLIP-TOP - 0.25" ORIFICE

4.2. <u>Dimensional Restraints:</u>

Distortion/Ovality (for Plastic Closures only)

Maximum level of distortion is:

by Department of Home Affairs Information Act Freedom of the Released e



A.C.N. 004 125 071

PACKAGING MATERIAL SPECIFICATION	Resource No: 0269 Version: 1	14
CLOSURES	Supersedes: Version:	
PRISM Name: CAP FLIP TOP 38MM	Sizes: 375, 500ML	
Commodity: CAP: 375 & 500ML SQUEEZE MAYONNAISE	Date: 15/06/2000	Page 2 of 4
		011005044

USN 205844 Ver 1

4.3. Physical Properties: Fill Temperature:

Quality of Thread:

20-28 °C

No abrasions, inclusions, dents, deformations.

Corrosion Resistance (Metal Closures only);

Metal caps to be capable of immersion for 90 seconds in a mixture containing 70 g water, 20 g copper sulphate, 10 g Hydrochloric Acid.

4.4. Special Comments:

INDUCTION HEAT SEALING MEMBRANE: ISPVC/PET-U LINER (13um polyester/13um polyolefin/25um foil/13um polyester). Tri-tab liner. Bottle finish designed to position cap orifice 90 degrees bottle centre

Drawing Details:

Manufacturer's Drawing No: K6458A

Date:

28-Nov-1995

Revision:

Date:

(Drawing attached)

4.5. Print Details:

Layout

Refer to Drawing (attached):

N/A

Date:

Method of Reproduction

Scuff Resistance:

(Test Method KPTM 5/96-1)

Odour and Taste:

Be free of residual solvent odour

(Test Method KPTM 6/96-1)

Maximum total retained solvents

36 mg/m²

PALLET LABELLING:

Each pallet to be properly identified with a label. The label must indicate the name, variety, Kraft resource number, and quantity per carton. The label is to be on both fork entry sides of the pallet and the Kraft Resource No. is to be printed in characters at least 5cm high.

6. PACKAGING INSTRUCTIONS:

All pallets of packaging material supplied to Kraft Foods shall be covered with a plastic pallet cap and then shrinkwrapped or stretchwrapped. A layer pad shall separate the packaging material and the pallet. The pallets used shall be in good condition, clean, dry and free from infestation and extraneous matter. 1900 per polyethylene bag inside a non returnable corrugated fibreboard carton.

Pallet will be covered with a corrugated pallet cap

The following must be included on a label securely attached to the protective packaging protecting the cartons:

Kraft Resource No.

Product Type

Manufacturer's Traceability Code

Freedom of Information Act 1982 Released by Department of Home Affairs under the





A.C.N. 004 125 071

PACKAGING MATERIAL SPECIFICATION	Resource No: 0269 Version: 1	14
CLOSURES	Supersedes: Version:	
PRISM Name: CAP FLIP TOP 38MM	Sizes: 375, 500ML	
Commodity: CAP: 375 & 500ML SQUEEZE MAYONNAISE	Date: 15/06/2000	Page 3 of 4

DSN 205844 Ver 1

(ie. Job Number, Date of Manufacturer, etc.)

Number of units per Carton

7. SHELF LIFE, SHIPPING AND STORAGE:

Recommended Shelf Life:

N/A

Shipping Conditions: Storage Conditions:

Dry and Ambient

Temperature: Relative Humidity: Ambient

50%

8. HEAVY METAL WARRANTY:

Heavy Metals are not to be intentionally introduced into the package or package components. Incidental levels of Pb, Hg, Cd & Hexavalent Chromium are to be <100 ppm in total.

9. SUPPLIER PRODUCT CERTIFICATION:

The following criteria have been assessed as critical for the intended process or finished product. The supplier must demonstrate compliance to these requirements, for each batch of material supplied. Normally, this will take the form of a Certificate of Conformance, which is to be supplied to the relevant Kraft Foods plant, prior to or with the initial delivery of each batch.

The Certification data shall include the results of the following attributes:

N/A

10. OTHER GENERAL REQUIREMENTS:

All other requirements outlined in this specification are assessed as general quality and functional requirements. The test results for these attributes are not required to be detailed on the Certificate of Analysis unless specified above. This material may be subjected to testing by Kraft Foods and records will be reviewed during quality audits.

11. SUPPLIER ACCEPTANCE:

I confirm acceptance of the Kraft General Specif	all conditions of supply as outlined in this Packagii fication.	ng Material Specification and
Signed:		
Name:		(Printed)
Position:		(Printed)
For and on behalf of:- (Company Name) Date:	-	(Printed)
Duto.	-	
Return to:	Purchasing Coordinator c/o Purchasing Department Kraft Foods Limited PO Box 1673N GPO	

12. DOCUMENT REVISION HISTORY

Name: Position: For and on behalf	of:-	(Printed) (Printed)	ffairs
(Company Name) Date:		(Printed)	me A
Return to: OCUMENT REVISION	Purchasing Coordinator c/o Purchasing Department Kraft Foods Limited PO Box 1673N GPO MELBOURNE VIC 3001		epartment of Ho
Version	Reason		2 /4
1	NEW CLOSURE FOR NEW PET SQUEEZE BOTTLES		SPC
8:		,	Release

Freedom of Information Act 1982

the

under



A.C.N. 004 125 071

PACKAGING MATERIAL SPECIFICATION	Resource No: 0269 Version: 1	14
CLOSURES	Supersedes: Version:	
PRISM Name: CAP FLIP TOP 38MM	Sizes: 375, 500ML	
Commodity: CAP: 375 & 500ML SQUEEZE MAYONNAISE	Date: 15/06/2000	Page 4 of 4
		SN 205844 Ver 1

Prepared by:s. 47F(1)
Approved By: Plant Review -s. 47F(1)



V:		oleted by a business with fewer than 20 employees, timate of the time taken to complete this form.
TIME	Hours	Minutes

APPLICATION FOR A TARIFF CONCESSION ORDER (TCO)

The form should be read carefully before being completed

- (a) Before lodging an application for a TCO, the applicant should determine whether a suitable TCO already exists. Information on existing TCOs is contained in the schedule of Concessional Instruments (SCI), a copy of which is available at each Regional Office of Customs. A TCO can be used by any importer.
- (b) An application will be date stamped on the day it is first received in Canberra by an officer of Customs. Receipt of an application will be acknowledged. Any resultant TCO will operate from the date of receipt. Instructions on how to lodge this form are provided at the end of this form.
- (c) Where an application is accepted as being a valid application, the identity of the applicant and of the importer for whom the applicant is acting will be published in the *Gazette*.
- (d) Section 269F of the *Customs Act 1901* requires that a TCO application to be in writing, be in an "approved form", contain such information as the form requires, and be signed in the manner indicated in the form. This is the approved form for the purposes of that section.
- (e) Section 269FA of the Customs Act 1901 states "It is the responsibility of an applicant for a TCO to establish, to the satisfaction of the Chief Executive Officer (CEO), that, on the basis of:
 - (i) all information that the applicant has, or can reasonably be expected to have; and
 - (ii) all inquiries that the applicant has made, or can reasonably be expected to make;
 - there are reasonable grounds for asserting that the application meets the core criteria". The application is taken to meet the core criteria if, on the day of lodgement of the application, no substitutable goods were produced in Australia in the ordinary course of business.
- (f) Every question on the form must be answered. Failure to supply the information required by this form will result in rejection of the application (and in the loss of operative date).
- (g) Where the form provides insufficient space to answer a question, an answer may be provided in an attachment. The attachment should clearly identify the question to which it relates.
- (h) All information about inquiries into the production of substitutable goods must relate to the date the application is lodged with Customs.
- (i) Customs may require an applicant to substantiate, with documentary evidence, any information provided in the application form.
- (j) Further information on the Tariff Concession System is available in Part XVA of the *Customs Act 1901*, in the foreword to the SCI, in the administrative guidelines in Volume 13 of the Australian Customs Service (ACS) Manual, in Australian Customs Notice No. 98/19, or by phoning (02) 6275 6666.

Applicant's Reference Applicant's Reference N/A Company Contact S. 47F(1) Telephone Number S. 47F(1) Facsimile Number S. 47F(1)	APPLICANT DETAILS (An age	ent/broker should provide deta	ails on the next page)				
Postal Address 85 LORIMER STREET PORT MELBOURNE 3207 Applicant's Reference N/A Owner Code (if applicable) 3092509L Company Contact Position Held s. 47F(1) Telephone Number s. 47F(1) f you do not intend to use the TCO to import into Australia the goods the subject of the application, you must provide, in the sollow, the identity of the importer for whom you are acting (refer to paragraph 269F(3)(c) of the Customs Act 1901). MPORTER DETAILS Importer's Name (If same as applicant, write "as above") AS ABOVE Postal Address Owner Code Owner Code Owner Code Owner Code Owner Code Owner Code	Applicant's Name			Australian Business	Number (A.B.N.)		7
Applicant's Reference N/A Owner Code (if applicable) 3092509L Company Contact S. 47F(1) Telephone Number S. 47F(1) If you do not intend to use the TCO to import into Australia the goods the subject of the application, you must provide, in the obelow, the identity of the importer for whom you are acting (refer to paragraph 269F(3)(c) of the Customs Act 1901). MPORTER DETAILS Importer's Name (If same as applicant, write "as above") AS ABOVE Company Contact Owner Code Owner Code Position Held Owner Code Owner Code	KRAFT FOODS LTD 15004 125 071/001				0	V.	
Company Contact Position Held S. 47F(1) Facsimile Number S. 47F(1) Facsimile Numbe	Postal Address 85 LORIME	R STREET PORT MEI	LBOURNE 3207			airs 108	2
Telephone Number s. 47F(1) Telephone Number s. 47F(1) If you do not intend to use the TCO to import into Australia the goods the subject of the application, you must provide, in the sellow, the identity of the importer for whom you are acting (refer to paragraph 269F(3)(c) of the Customs Act 1901). IMPORTER DETAILS Importer's Name (If same as applicant, write "as above") AS ABOVE Postal Address Importer's Reference Owner Code Company Contact Position Held	Applicant's Reference	N/A	55 7 TO SEC. 17 19 19 19 19 19 19 19 19 19 19 19 19 19	150 5 A		e Aff	
Telephone Number s. 47F(1) Telephone Number s. 47F(1) If you do not intend to use the TCO to import into Australia the goods the subject of the application, you must provide, in the selow, the identity of the importer for whom you are acting (refer to paragraph 269F(3)(c) of the Customs Act 1901). IMPORTER DETAILS Importer's Name (If same as applicant, write "as above") AS ABOVE Postal Address Importer's Reference Owner Code Company Contact Position Held	Company Contact		Position Held			E i	5
Telephone Number s. 47F(1) If you do not intend to use the TCO to import into Australia the goods the subject of the application, you must provide, in the below, the identity of the importer for whom you are acting (refer to paragraph 269F(3)(c) of the Customs Act 1901). IMPORTER DETAILS Importer's Name (If same as applicant, write "as above") AS ABOVE Postal Address Importer's Reference Owner Code Company Contact Position Held	s. 47F(1)		s. 47F(1)			101 12	2
Importer's Name (If same as applicant, write "as above") AS ABOVE Postal Address Importer's Reference Company Contact Position Held		NAMES AND ADDRESS		E-mail Address		t of I	5
AS ABOVE Postal Address Importer's Reference Owner Code Company Contact Position Held	below, the identity of the import IMPORTER DETAILS	er for whom you are acting ((refer to paragraph 2	69F(3)(c) of the <i>Cus</i>	toms Act 1901).	artm	5
Postal Address Importer's Reference Owner Code Company Contact Position Held					4		3
Company Contact Position Held D					CO CO	by D	100
<u> </u>	Importer's Reference		Owner Code			se t	
Telephone Number Facsimile Number	Company Contact		Position Held		127	Relea	ומע
10	Telephone Number		Facsimile Numb	er	1	ш _	-
B443 (JUI						10	

AGENT/BROKER DETAILS (if applied	icable)		Document	
Agent's Name	-		A.B.N.	
PANALPINA WORLD T	RANSPORT			
Postal Address				
16 Tarmac Drive Tull	amarine 3043	A Contact		
Agent's Reference		Agency Contact		
248386	Carlo Color Charles - Linguistical Profession	s. 47F(1)	/	
Telephone Number	Facsimile Number s. 47F(1)		E-mail Address s. 47F(1)	
s. 47F(1)			3. 4/1 (1)	
DESCRIPTIONOFGOODS				
(b) The application should provide a function components of the goods. It should be components of the goods.	ull description of the good not describe the good of the <i>Customs Act 190</i> an in generic terms; or intended end use; or	ods, including the ps in terms of what 1, the CEO must r	not make a TCO in respect of goods:	various
implication, indicates that they are (d) Guidance on the drafting of the des Notice No. 98/19.	d in terms other than in goods of a particular bra	generic terms if, fo and or model, or tha	e extended. r example, their description, either dir at a particular part number applies to 3 of the ACS Manual and in Australia	the goods.
1 Describe the goods	_ 20			
CLOUSRES, CAP, FLIP TO	1P. 20.m.m			

ILLUSTRATIVE MATERIAL				
		nd/or a sample to	o enable a full and accurate ider	70
of the goods the subject of the a	application.			<u>-</u>
TARIFFCLASSIFICATION				ffa ct
3 Identify the tariff classification (t	o 8 figure subheading	level) 392	35000	of Home A
If a Tariff Advice for the goods i	nas been sought or ob	tained, please pr	ovide the TA No.	H
	r attach a copy.			of
USES OF THE IMPORTED GOODS				15 E
				L e
4 Describe ALL uses (including des	sign uses) to which the	goods can be put	•a	4
CAPS FOR USE WITH 375	+50.0MLSQU.EI	EZEMAYONNA	ISE BOTTLES	<u>\$</u> \$
				8 e
				G D
				0 F
				0 g
				S
				e e
months of the same of the control file and the same of				Sel
				W =
*				

Document 6

SUBSTITUTABILITY OF LOCALLY PRODUCED GOODS

(a) (b) (c)	A local manufacturer's goods are substitutable when they are put, or are capable of being put, to a use that correquise (including a design use) to which the goods the subject of the application can be put (subsection 269B(1) of the correspond). Even if not identical, locally made goods may be substitutable. In determining whether the uses of Australian produced goods correspond with the uses of the goods the supplication, the ability of the goods to compete with each other in any market is not relevant. The applicant must provide information as to the inquiries made to establish that there are reasonable grounds that there are no producers of substitutable goods in Australia. The application must include a copy of correspond replies from, local manufacturers. The application will be rejected if it fails to provide all information as to the inquiries.	abject of the for believing ence to, and uiries made.
NOT	E: The Australian Customs Service suggests that local manufacturers should be given at least 10 working days to inquiries concerning local manufacture.	respond to
5	Provide details of the nature of ALL inquiries you have undertaken in order to establish that substitutable go produced in Australia, and the results of those inquiries.	oods are not
	AMCOR PLASTICS	
	25 PARAMOUNT ROAD	
	WEST FOOTSCRAY VIC 3012	

	ACI CLOSURES	
	4 KINGS WAY	
	MOORABBIN VIC 3189	
	NOORABBIN VIC 3109	
6	Provide any additional information in support of discharging your responsibility to establish that there are grounds for asserting that there are no substitutable goods produced in Australia in the ordinary course of	reasonable f business.
	grounds for asserting that there are no substitutable goods produced in Adstrala in the ordinary section of	iirs 198
		10 H
		7 Pe /
		-dom atto
		of F
		2 5
		mel of //
		oart Om
		od de
	in the state of th	Z L
3077755		p e
		ase
******		ele
		E 2

	a service of the second second		
DDECAL	MDEDA	PRGANIS	ATIONIC
PRESUL	antil.	IRL:ANIS	AIIUNS

RES	CRIBEDORGANISATIONS	Document o
7	Have you made inquiries of a prescribed organisation batitutable goods?	on to obtain advice about whether there are producers in Australia
	YES NO If YES, attach a copy of the	the advice received.
	Note that under subsection 269M(6) of the <i>Customs Ad</i> Act 1985, give a copy of all, or of a part, of the application	ct 1901, the CEO may, despite section 16 of the Customs Administrate on to a prescribed organisation.
HI WALL	FIONAL INFORMATION Provide any additional information in support of you	rapplication
22		
		BY KRAFT FOODS IS COVERED BY
Α	PATENT ON THE USA.	
		8
	-	
-		
CL	ARATION	
	s. 47F(1)	Position Held s. 47F(1)
_	any (if applicable)	5. 4/1 (1)
	PANALPINA WORLD TRANSPORT	
	un that	
ecia	re that:	
	To the best of my knowledge and belief the informat	tion contained in this form is correct; and
	I have the authority to act on behalf of the company/	applicant.
	s. 47F(1)	
igna	ture of Applicant/Agent/Broker	Date 2. 10 1970
3		21/9/30
		1 A A
TE:	OFFICER THAT IS FALSE OR MISLEADING IN A	OVIDES THAT IT IS AN OFFENCE TO MAKE A STATEMENT TO A MATERIAL PARTICULAR.
		MATERIAL PARTICULAR. HOW
		TH CUSTOMS BY:
	 WHEN THIS FORM HAS BEEN COMPLETED LODGE IT WI' posting it by prepaid post to the 	ITH CUSTOMS BY:
	National Manager, Tariff Branch	nel nel
	Australian Customs Service Customs House	ıtı a
	5 Constitution Avenue	Department of Info
	CANBERRA ACT 2601	
	 leaving it in the box provided in the foyer of 	by
	Customs House, Canberra	
	or	388
	 sending it by facsimile to (02) 6275 6376. 	Released under the
		,